



**CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION
OFFICE OF THE STATE FIRE MARSHAL
FIRE ENGINEERING & INVESTIGATIONS DIVISION
BUILDING MATERIALS LISTING PROGRAM**

LISTING SERVICE

LISTING No.:	8140-2272:0501
CATEGORY:	8140 - EXTERIOR WALL SIDING AND SHEATHING FOR WILDLAND URBAN INTERFACE (W.U.I)
LISTEE:	Davinci Roofscapes, LLC 13890 W. 101 St, Lenexa, KS, 66215 Contact: Newsome, Tyler Email: tnewsome@davinciroofscapes.com
DESIGN:	Davinci Handsplit Shake Siding. 8-10" W x 18" L x 5/8" butt thickness at maximum 8" shake exposure over 1/2" pressure treated FRT plywood with a water resistive barrier, ASTM D 226 Type 1 using 6d-1.75" siding nails 7-10 in. apart. Refer to manufacturer's installation, maintenance, operations guide for complete product details.
RATING:	
INSTALLATION:	In accordance with listee's printed installation instructions, applicable codes and ordinances and in a manner acceptable to the authority having jurisdiction.
MARKING:	Listee name, Model number, rating and SFM label.
APPROVAL:	Listed as Handsplit Shake Siding for use in the Wildland Urban Interface areas. Refer to listee's Installation Instruction Manual for details.
NOTES:	SFM Standard 12-7A-1

12-10-19 gt



This listing is based upon technical data submitted by the applicant. OSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other suitable information sources.

Date Issued: 04/27/2023

Listing Expires: 06/30/2024

Authorized By: **Victor Wong**, Program Coordinator
Fire Engineering & Investigations Division